

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((execution near4 (units or clusters)) same (lane\$1 or path\$1) same (out?of?order) same address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/19 10:11
L2	0	((execution near4 (units or clusters)) same (lane\$1 or path\$1) same (out?of?order) same address). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/19 10:11
L3	2	(cluster\$1 same (instruction with issu\$3) same (out?of?order) same (lane\$1 or path\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/19 10:24
L4	0	(cluster\$1 same (instruction with issu\$3) same (out?of?order) same (lane\$1 or path\$2)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/19 10:24
S1	225	(712/24).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:16
S2	732	(712/23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:16
S3	172	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:16
S4	439	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:16
S5	6	(VLIW) same (instruction adj1 bundle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:16
S6	1	VLIW near4 (lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:17

EAST Search History

S7	1	VLIW with (lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:17
S8	1	VLIW same (lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:17
S9	33	issue near4 lane\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:18
S10	2	instruction near (issue near4 lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:19
S11	3	instruction with (issue near4 lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:19
S12	3	instruction same (issue near4 lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/14 10:19
S13	1	("5805878").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 11:28
S14	35	compound adj1 instruction\$1 adj1 set\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/25 16:33
S15	2	(instruction\$1 adj1 bundle\$1) near4 (execut\$3 adj1 clust\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/26 12:03
S16	3	(instruction\$1 adj1 bundle\$1) with (execut\$3 adj1 clust\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/26 12:03
S17	3	(instruction\$1 adj1 bundle\$1) same (execut\$3 adj1 clust\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/02/26 12:04
S18	16	(instruction\$1 adj1 bundle\$1) near4 (instruction\$1 adj1 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/02 14:45

EAST Search History

S19	4	((("6317820") or ("5560028") or ("6237077") or ("5819058")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/02/26 12:22
S20	1	(instruction\$1 adj1 cach\$3) near4 (execut\$3 adj1 clust\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/02 14:54
S21	52	(VLIW) near4 (instruction\$1 adj1 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/02 14:45
S22	0	(VLIW) near4 (instruction\$1 adj1 cach\$3) near4 (instruction adj1 bundle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/02 14:51
S23	1	(VLIW) near4 (instruction adj1 bundle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/02 14:51
S24	1	(VLIW) with (instruction adj1 bundle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/02 14:51
S25	7	(instruction\$1 adj1 cach\$3) with (execut\$3 adj1 clust\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/03/02 15:01
S26	14	(US-6079010-\$ or US-6029240-\$ or US-5732234-\$ or US-5504932-\$ or US-5502826-\$ or US-5398321-\$ or US-5051940-\$ or US-6640313-\$ or US-6539469-\$ or US-6317820-\$ or US-6237077-\$ or US-5560028-\$ or US-5819058-\$ or US-6167503-\$). did.	USPAT	OR	OFF	2004/03/03 14:29
S27	240	(712/24).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/04 07:33
S28	743	(712/23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/04 07:33

EAST Search History

S29	181	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/04 07:33
S30	459	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/04 07:33
S31	1	("20020087830").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 15:38
S32	0	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) near4 (compress\$4) near4 (lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 11:45
S33	0	((vliw or (very adj1 long adj1 instruction adj1 word\$1)) near4 (compress\$4)) same (lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 11:45
S34	0	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (compress\$4) same (lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 11:45
S35	10	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (compress\$4) same (align\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 11:47
S36	0	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (de?compress\$4) same (align\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 11:49
S37	0	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (de?compress\$4) same (lane\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 11:49
S38	0	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (de?compress\$4) same ((execut\$3 or operat\$3 or process\$3) near4 (unit\$1 or lane\$1 or path\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 11:50
S39	50	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (compress\$4) same ((execut\$3 or operat\$3 or process\$3) near4 (unit\$1 or lane\$1 or path\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:01

EAST Search History

S40	20	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (decompress\$4) same ((execut\$3 or operat\$3 or process\$3) near4 (unit\$1 or lane\$1 or path\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:06
S41	0	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (decompress\$4) same (pipelin\$3 near4 cluster\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:06
S42	0	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (decompress\$4) same (pipelin\$3 same cluster\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:06
S43	1	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (decompress\$4) same (pipelin\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:07
S44	1	(vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (decompress\$4) same (cluster\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:07
S45	2	((vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (decompress\$4)) and (pipelin\$3 near4 cluster\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:08
S46	2	((vliw or (very adj1 long adj1 instruction adj1 word\$1)) same (decompress\$4)) and (pipelin\$3 same cluster\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:08
S47	503	(pipelin\$3 same cluster\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:08
S48	121	(pipelin\$3 near4 cluster\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:09
S49	6	(pipelin\$3 near4 cluster\$3) near4 (ALU or EU or ((execut\$3 or process\$3 or operat\$3) near4 (unit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/28 12:09
S50	252	(712/24).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/30 15:52

EAST Search History

S51	751	(712/23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/30 15:52
S52	189	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/30 15:52
S53	474	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/30 15:52
S54	2	((("6167503") or ("5819058")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/14 09:58
S55	286	(712/24).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 10:19
S56	770	(712/23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 10:19
S57	201	(712/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 10:19
S58	498	(712/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:47
S59	0	(execution near4 (units or clusters)) with lane\$1 with (out?of?order) with address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:49
S60	0	((execution near4 (units or clusters)) with lane\$1 with (out?of?order) with address).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:49

EAST Search History

S61	0	((execution near4 (units or clusters)) with path\$1 with (out?of?order) with address).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:49
S62	0	((execution near4 (units or clusters)) with path\$1 with (out?of?order) with address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:50
S63	9	((execution near4 (units or clusters)) with (out?of?order) with address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:50
S64	0	((execution near4 (units or clusters)) with (out?of?order) with address).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:50
S65	0	((execution near4 (units or clusters)) with (out?of?order) same address).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:50
S66	0	((execution near4 (units or clusters)) same (out?of?order) same address).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:50
S67	116	((execution near4 (units or clusters)) same (out?of?order) same address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/18 13:50
S68	0	((execution near4 (units or clusters)) same (lane\$1 or path\$1) same (out?of?order) with address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/19 10:22



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Wed, 19 Jul 2006, 10:21:28 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (((execution <sentence> (units <or> clusters)) <paragraph> (lane <or> lanes <or> path <or> paths <or> pathes) <paragraph> (out-of-order) <paragraph> address)) <in>metadata)
- #2 (((execution <sentence> (units <or> clusters)) <paragraph> (lane <or> lanes <or> path <or> paths <or> pathes) <paragraph> (out-of-order) <paragraph> address)) <in>metadata)
- #3 (((execution <near/4> (units <or> clusters)) <paragraph> (out-of-order) <paragraph> address))<in>metadata)
- #4 (((execution <near/4> (units <or> clusters)) <paragraph> (out-of-order) <paragraph> address))<in>metadata)
- #5 (((cluster <or> clusters) <paragraph> (instruction <sentence> (issues <or> issuing <or> issue)) <paragraph> (align <or> alignment <or> aligning <or> aligned))<in>metadata)
- #6 (((cluster <or> clusters) <paragraph> (instruction <sentence> (issues <or> issuing <or> issue)) <paragraph> (out-of-order) <paragraph> (lane <or> lanes <or> path <or> pathes <or> paths))<in>metadata)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE -